

### **RUDCHEM PYMATIC**

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name Rudchem Pymatic

Product Code -

Other Names Pymatic metered aerosol, Coopermatic, Time Mist

Product Use Metered insecticide to suit 'Syncromist' and 'Coopermatic' insecticide

dispensers.

**Supplier Name**Address
C.Rudduck Pty Ltd
2/247 Ingles Street

Port Melbourne VIC 3207

**Telephone Number** 03 9676 4444 **Emergency Telephone** 0418 355 009

### 2. HAZARDS IDENTIFICATION

#### HAZARDOUS SUBSTANCE. DANGEROUS GOODS.

Classified as hazardous according to the criteria of ASCC.

Hazards T - Toxic

F+ - Extremely Flammable

**Risk Phrases** R12 - Extremely flammable.

R45 - May cause cancer.

R65 - Harmful: May cause lung damage if swallowed.

**Safety Phrases** S1/2 - Keep locked up and out of reach of children.

S45 - In case of accident or if you feel unwell, seek medical advice

immediately (show the label where possible).

S53 - Avoid exposure-obtain special instructions before use.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient (common name) CAS Number Proportion by weight

Pyrethrum 8003-34-7 1-3%
Piperonyl butoxide 51-03-6 1-9%
Naphta petroleum, heavy, hydrotreated 64742-48-9 10-30%
Hydrocarbon propellant - LPG (liquified 68476-85-7 30-60%

petroleum gas)

Perfume - Less than 1%

6/08/2008



# 4. FIRST AID MEASURES

Inhalation If inhaled, remove to fresh air. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Seek immediate

medical attention.

Never give anything by mouth to an unconscious person. Ingestion

Do not induce vomiting. Give the victim one or two glasses water to

drink. Seek immediate medical attention.

Skin Remove contaminated clothing and wash affected areas with soap

and water. Seek medical attention if irritation develops. Launder

clothing before reuse.

In case of eye contact, check for and remove any contact lenses. **Eyes** 

Immediately irrigate eyes with plenty of running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.

### 5. FIRE FIGHTING MEASURES

For major fires call the Fire Brigade. Ensure that an escape path is

available from any fire.

No information available.

Suitable Extinguishing

Media

**Hazardous Combustion** 

**Products** 

Firefighting Equipment Wear ASCC approved self-contained breathing apparatus and full

protective clothing.

**Unusual Fire or** 

**Explosion Hazards** 

Highly flammable aerosol.

Containers may burst if heated above 50°C. Use water spray to

cool down containers and prevent bursting.

Carbon dioxide (CO<sub>2</sub>), dry chemical, foam

Hazchem Code 2Y

# 6. ACCIDENTAL RELEASE MEASURES

Spills Spills from an aerosol are unlikely.

# 7. HANDLING AND STORAGE

Handling Use of safe work practices are recommended to avoid eye or skin

contact and inhalation. Observe good personal hygiene, including

washing hands before eating.

Store in a cool, dry place, out of the sun and below 50°C. Do not **Storage** 

store or use near fire or flame.

6/08/2008 2/6



\_\_\_\_

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Standards** Pyrethrum:

(ASCC) TWA: - ppm / 5 mg/m<sup>3</sup> STEL: - ppm / - mg/m<sup>3</sup>

**LPG (liquified petroleum gas):** TWA: 1000ppm / 1800 mg/m<sup>3</sup>

STEL: - ppm / - mg/m<sup>3</sup>

Engineering Controls Local exhaust ventilation is recommended when vapours can be

released in excess of established airborne exposure limits.

**Respiratory Protection** No respiratory protection is required.

Do not inhale spray.

**Eye Protection** No eye protection is required.

Avoid contact with eyes, skin and clothing. Do not spray directly on humans, pets, exposed foods, food utensils or food preparation

surfaces.

**Skin Protection** No skin protection is required.

Avoid contact with eyes, skin and clothing. Do not spray directly on humans, pets, exposed foods, food utensils or food preparation

surfaces.

Hygienic Practices Food, beverages and tobacco products should not be stored or

consumed where this material is in use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Aerosol

Odour Spearmint odour Solubility in water Immiscible

Boiling Point / Range No information available

Vapour Pressure 50-60psi Percentage Volatiles 98%

Flash Point Not established.

Flammable Limit – Lower
Flammable Limit – Upper
No information available
No information available

Flammability Highly flammable aerosol. Do not spray uninterrupted for

more than 10 seconds in confined spaces. Keep away from

naked flames.

# 10. STABILITY AND REACTIVITY

Chemical Stability Stable at ambient temperature and under normal conditions of

use

Incompatible Materials
Hazardous Decomposition

No information available No information available

**Products** 

6/08/2008 3/6



**Hazardous Polymerization** 

Will not occur. **Conditions to Avoid** 

Do not puncture or incinerate can. Highly flammable. Keep away

from naked flame. Do not spray uninterrupted for more than 10

seconds in confined spaces.

# 11. TOXICOLOGICAL INFORMATION

Piperonyl butoxide: **Toxicity** 

> Oral  $LD_{50}$  (rat) = 6150mg/kg Oral  $LD_{50}$  (mouse) = 3800mg/kg Skin  $LD_{50}$  (rabbit) = 200mg/kg Oral  $LD_{50}$  (rabbit) = 7500mg/kg Inhalation, ingestion, eye and skin

**Routes of Exposure** 

routes of exposure

Health effects from likely

Inhalation: May cause dizziness or headache.

Intentional misuse by deliberately inhaling content can

be fatal.

Ingestion: Not normally a hazard due to physical form of product.

May cause nausea, abdominal irritation, vomiting and

Eye: May cause eye irritation.

Skin: May cause skin irritation and defatting.

**Effects of Overexposure** Prolonged or repeated exposure may cause dizziness and

headache.

**Existing Conditions** Aggravated by Exposure

No information available.

Carcinogenicity Carcinogen category 2 – Naphta petroleum, heavy, hydrotreated.

Carcinogen category 2 – Hydrocarbon propellant.

### 12. ECOLOGICAL INFORMATION

**Ecotoxicity** Piperonyl butoxide:

> $LC_{50}$  (Rainbow trout) = 6.12ppm (96 hour)  $LC_{50}$  (Bluegill sunfish) = 5.37ppm (96 hour)  $LC_{50}$  (Daphnia magna) = 0.51ppm (48 hour) Oral LD<sub>50</sub> (Bobwhite quail) > 2,250 mg/kg Bobwhite 5 day dietary  $LC_{50} > 5,620$  ppm Mallard 5 day dietary LC<sub>50</sub> > 5,620 ppm

**Eco-Chronic Toxicity:** 

Fish (Fathead Minnow) Early life stage MATC >0.18 mg/L - <0.42

Invertebrate (Daphnia Magna) life cycle MATC >30 μg/L - <47 μg/L Piperonyl Butoxide is highly toxic to fish and aquatic organisms.

Honeybee Acute >25 µg/bee

**Mobility** No information available.

6/08/2008 4/6



# 13. DISPOSAL CONSIDERATIONS

**Disposal methods and** Do not puncture or incinerate can even when empty.

**containers** Dispose according to applicable local and state government

regulations.

Special precautions for Please consult your state Land Waste Management Authority for

landfill or incineration more information

#### 14. TRANSPORT INFORMATION

Classified as a dangerous good according to the Australian Code for the Transport of

Dangerous goods by road or rail. **UN Number** 1950

Proper Shipping Name AEROSOLS

Dangerous Goods Class 2.1 Hazchem Code 2Y

**Packing Group**Special Precautions
Not applicable.
Not applicable.

### 15. REGULATORY INFORMATION

Pyrethrum, piperonyl butoxide, naphta petroleum, heavy, hydrotreated and hydrocarbon propellant - LPG (liquefied petroleum gas) are listed in the Australian Inventory of Chemical Substances (AICS).

# **16. OTHER INFORMATION**

**Last Revision of MSDS** Rev 1.0 (06/08/2008)

Prepared by MSDS.COM.AU Pty Ltd

Abbreviations Used IARC: International Agency for Research on Cancer

ASCC: Australian Safety and Compensation Council

NTP: National Toxicology Program (U.S.)

OSHA: Occupational Safety and Health Administration (U.S.)

www.msds.com.au

STEL: Short term exposure limit TWA: Time weighted average

**Emergency Contacts** 

C.Rudduck Pty Ltd 03 9676 4444 C.Rudduck Pty Ltd – Emergency Number 0418 355 009

Police and Fire Brigade 000
Poisons Information Centre 13 11 26

6/08/2008 5/6



\_\_\_\_\_

The information contained in this material safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. C.Rudduck Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.

Please read instructions / label before using product.

6/08/2008 6/6