MAIN PANEL

CAUTION KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



Temprid® 75

RESIDUAL INSECTICIDE

ACTIVE CONSTITUENT: 50 g/L IMIDACLOPRID 25 g/L BETACYFLUTHRIN

GROUP 3A 4A INSECTICIDE

A residual insecticide concentrate for use in the management of ants,

0.5 L 1 L 2.5 L

5 L 10 L cockroaches, spiders, fleas and bedbugs (including pyrethroid-resistant strains) in various domestic, commercial, industrial and public buildings and facilities as per the Directions for Use.

IMPORTANT: Read the attached booklet before use.

REAR PANEL

TEMPRID® 75 RESIDUAL INSECTICIDE

STORAGE AND DISPOSAL: Store in tightly closed, original container in a safe, well ventilated area, as cool as possible. Do not store for prolonged periods in direct sunlight.

Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. May irritate the skin and eyes. Avoid contact with skin and eyes. When preparing product for use and using the prepared spray, wear cotton overalls over normal clothing buttoned to the neck and wrist and elbow length chemical-resistant gloves. Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766. Remove from contaminated area. Apply artificial respiration if not breathing.

MATERIAL SAFETY DATA SHEET

Additional Information is listed in the Material Safety Data Sheet which may be found at www.bayeres.com.au.

Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE

APVMA Approval Number: 64371 / 55633

TEMPRID[®] is a Registered Trademark of Bayer.

Bayer CropScience Pty Ltd A.B.N. 87 000 226 022 391-393 Tooronga Rd East Hawthorn, Vic. 3123 Telephone: 1800 804 479 www.bayeres.com.au

Batch Number: DOM:

For 24 hour specialist advice in an emergency only phone 1800 033 111

Booklet

CAUTION

KEEP OUT REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING

TEMPRID® 75 RESIDUAL INSECTICIDE

Active constituent: 50 g/L IMIDACLOPRID 25 g/L BETACYFLUTHRIN

GROUP 3A 4A INSECTICIDE

A residual insecticide concentrate for use in the management of ants, cockroaches, spiders, fleas and bedbugs (including pyrethroid-resistant strains) in various domestic, commercial, industrial and public buildings and facilities.

STORAGE AND DISPOSAL: Store in tightly closed, original container in a safe, well ventilated area, as cool as possible. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. May irritate the skin and eyes. Avoid contact with skin and eyes. When preparing product for use and using the prepared spray, wear cotton overalls over normal clothing buttoned to the neck and wrist and elbow length chemical-resistant gloves. Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766. Remove from contaminated area. Apply artificial respiration if not breathing.

MATERIAL SAFETY DATA SHEET

Additional Information is listed in the Material Safety Data Sheet which may be found at www.bayeres.com.au.

Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

IMPORTANT: READ THIS BOOKLET BEFORE USE

APVMA Approval Number: 64371 / 55633

 $\mathsf{TEMPRID}^{\circledR}$ is a Registered Trademark of Bayer.

Bayer Environmental Science A Business Group of Bayer CropScience Pty Ltd A.B.N. 87 000 226 022 391-393 Tooronga Rd East Hawthorn, Vic. 3123 Telephone: 1800 804 479 www.bayeres.com.au

Batch Number: DOM:

For 24 hour specialist advice in an emergency only phone 1800 033 111

DIRECTIONS FOR USE: RESTRAINT

DO NOT apply spray treatment outdoors if heavy rains are expected to occur within 48 hours of application, or if

area is about to be irr	RATE	PEST	CRITICAL COMMENTS
Domestic, commercial, industrial and public buildings and facilities (including but not limited to food processing establishments, shops, factories, farm buildings, ships, trains, aeroplanes, offices, schools, storerooms, hospitals, barracks,	RATE 10 mL/L	PESI	Best-Practice Recommendation: Estimate area of surface which needs to be treated Calibrate spray equipment to identify volume of spray necessary to achieve coverage of target area Measure out required volume of Temprid® 75 and mix according to General Instructions below. As a guide: For use on non-porous surfaces; dilute with up to 5 L of water and apply as a coarse spray per 100 m², not exceeding the point of run-off. For use on porous surfaces or for use through power equipment; dilute with up to 10 L of water and apply per 100 m² of surface, not exceeding the point of run-off.
private houses and external areas associated with such establishments).		Ants	DIRECT NEST TREATMENT: Where possible locate the nest and spray directly into nest entrances. Penetration of insecticide can be assisted by prewetting sandy and porous soils with water. A thorough soaking treatment with insecticide mixture is required to destroy the nest. TREATMENT WHEN NESTS CANNOT BE LOCATED: Apply to all ant trails and areas where ants are foraging. Search for ants underneath materials (eg. rocks, timber) and apply to these areas. Where indoor infestation has been identified it is recommended that an external perimeter treatment be installed (refer below) and that indoor areas are treated with a suitably registered bait product such as one from the Maxforce ant bait range. EXTERNAL PERIMETER TREATMENTS: Apply to all potential entrance points of the structure (eg. cracks and crevices in brickwork and gaps in timber weatherboards). Treat the outside of the structure; walls, and around doors, windows, and other areas where ants are active or may enter or hide. Ensure application in wall voids or other enclosed cavities is made with spray nozzle adjusted to produce a fine mist in order to avoid run-off. Treat the soil, turf or other ground covering adjacent to the structure (in a band up to 3 metres wide) where ants are seen, have been found, or can find shelter.
		Cockroaches	Conduct a thorough inspection and apply to known and potential cockroach harbourages. A barrier application around areas where cockroach infestations may be originating is also suggested. Repeat application as required. Where application of a spray is not suitable it is recommended that a suitably registered gel such as one from the Maxforce Gel range be applied as per the registered label on that product.
		Spiders	Apply to areas where spiders are known to occur, their webbing and areas where spiders may hide. It is recommended that any webbing is left in place for a few days after application to optimise efficacy.

Directions For Use (Contd):

SITUATION	RATE	PEST	CRITICAL COMMENTS
Domestic, commercial, industrial and public buildings and facilities (including but not limited to hotels and backpacker accomodation, private dwellings, barracks, hospitals, ships, trains, aeroplanes, offices, schools).	10 mL/L	Bedbugs	Professional Pest Managers undertaking a bedbug treatment are expected to be familiar with the AEPMA Code of Practice (CoP) for the Control of Bedbug Infestations in Australia and take into account the recommendations included within this document in relation to bedbug management. Prior to treatment, a thorough inspection of all infested and potentially infested areas should be carried out. Treatment should be directed to all areas of infestation (eg. the bed-frame and walls, cracks, crevices and skirting boards in the vicinity of the bed). Consideration should also be given to appropriate non-chemical methods of control in areas where insecticide application is not possible. Control of pyrethroid-resistant strains of bed bug is dependent on direct spray application rather than residual activity. Reinspection is essential (in accordance with the recommendations of the CoP).
External areas and surrounds of domestic, commercial, industrial and public buildings and facilities		Fleas	Clean and vacuum infested areas and dispose of dust collected in the garbage in a sealed plastic bag. Lightly spray infested areas concentrating on areas under furniture etc. Treat pets with a suitably registered flea control product. See also the note on application to carpets below.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

Mixing: Add the required quantity of TEMPRID® 75 Residual Insecticide to water while stirring.

Application:

DO NOT spray the moving parts of any machinery, electric motors or switchgear with the water-based product.

INSECTICIDE RESISTANCE WARNING

MOLO HOIDE REGIOTANCE WARRING							
	GROUP	3A	4A	INSECTICIDE			

For insecticide resistance management TEMPRID® 75 is a Group 3A & 4A insecticide. Some naturally occurring insect biotypes resistant to TEMPRID® 75 and other Group 3A and 4A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if TEMPRID® 75 or other Group 3A and 4A insecticides are used repeatedly. The effectiveness of TEMPRID® 75 on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that may result from failure of TEMPRID® 75 to control resistant insects.

For further information on managing insecticide resistance contact your local supplier or Bayer CropScience representative.

PRECAUTIONS

DO NOT apply using spraying equipment carried on the back of the user.

For surface treatment only – DO NOT spray into the atmosphere using foggers or other devices designed to create an aerosol.

When using in animal houses do not spray directly onto livestock, their food, water, litter, feed bins, or surfaces that are accessible to the stock.

DO NOT spray directly on humans, exposed food or food utensils or food preparation areas.

Avoid contact of spray with timber to which a stain is subsequently to be applied, unless the owner is notified that the timber will need additional preparation, consistent with that if water alone had contacted the timber. (Evidence of water contact on timber is sometimes only evident once the stain has been applied).

BEFORE USE - Remove or cover all exposed foodstuffs. Cover all dishes and utensils and surfaces where food is prepared.

AFTER USE - Thoroughly ventilate treated areas. Clean up thoroughly before processing/serving resumes.

NOTE ON APPLICATION TO CARPETS: Whilst carpets are regarded as porous surfaces, excessive liquid application may produce water-stains and therefore the non-porous surface rate should be adopted if possible. Hence for short pile carpet, the 5 L dilution rate (per 100 m²) should be sufficient. However, for long pile or shag carpet, the 10 L dilution rate (per 100 m²) may be required, to ensure effective penetration and application to all of the carpet-pile. Since carpets vary in their thickness, colour and material it is recommended that a small, inconspicuous area of carpet be sprayed and allowed to dry first to ensure that staining will not occur. Allow treated carpets to dry before resuming activity on them.

RE-ENTRY PERIOD

DO NOT enter treated areas until the spray has dried, unless wearing cotton overalls buttoned to the neck and wrist (or equivalent clothing) and chemical resistant gloves. Clothing must be laundered after each day's use.

STORAGE AND DISPOSAL: Store in tightly closed, original container in a safe, well ventilated area, as cool as possible. DO NOT store for prolonged periods in direct sunlight. Triple rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. May irritate the skin and eyes. Avoid contact with skin and eyes. When preparing product for use and using the prepared spray, wear cotton overalls over normal clothing buttoned to the neck and wrist and elbow length chemical-resistant gloves. Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26; New Zealand 0800 764 766. Remove from contaminated area. Apply artificial respiration if not breathing.

MATERIAL SAFETY DATA SHEET

Additional Information is listed in the Material Safety Data Sheet which may be found at www.bayeres.com.au.

Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

APVMA Approval Number: 64371 / 55633

TEMPRID[®] is a Registered Trademark of Bayer.

Bayer CropScience Pty Ltd A.B.N. 87 000 226 022 391-393 Tooronga Rd East Hawthorn, Vic. 3123 Telephone: 1800 804 479 www.bayeres.com.au

Batch Number: DOM: